


REC 15 PC1 / PC2 – Battery backpack sprayer

REC 15: Well-proven battery backpack sprayer for professionals – new with CAS power

**NEW**


- CAS compatible
- Brass trigger valve LB
- 60 cm spray tube
- Battery pack selectable

Pressure controlled battery backpack sprayer new with CAS system: High-performance, versatile, ergonomic

The well-proven concept of controlling the pressure by electronics has been complemented by the cross-manufacturer battery pack system. The quick-change system of the CAS battery pack enables uninterrupted working. The spraying pressure can be adjusted optimally with an application controller. Everything is monitored and controlled by the electronics: constant pressure, on, off, pump protection functions and battery charge state. No control wires in the trigger valve, therefore less prone to faults. The Birchmeier accessories can be used to their full extent.

Real work comfort!

- Consistent spray pattern
- Drop size adjustable
- Re-defined ergonomics
- Hose outlet in front
- Click belt system
- Quick-change system for battery pack



«Look and feel»
the ergonomics

Electronically controlled

- Intelligent pressure control
- Operating pressure adjustable (0.5 to 6 bar)
- Energy efficient
- Protective setup for pump and battery pack



One battery, many solutions



- Pressure controlled battery backpack sprayer new with CAS* system:
- High-performance, versatile, ergonomic
- Cross-manufacturer compatibility for over 300 devices
- Different battery packs obtainable (bis 10 Ah)¹
- Charge level is displayed by LED lights

* CAS (Cordless Alliance System) is a cross-manufacturer battery pack system of leading power tool brands

¹ Battery pack and charger are not included with scope of delivery

Well-proven Birchmeier technology

- Ergonomically shaped tank
- Robust pump
- 3-steps filter system
- Click-belt system
- Brass fanjet nozzle
- FPM (Viton) Dichtungen
- Top quality output assembly
- Spirale hose 7.5 m
- Large filling opening with strainer



Trigger valve and spray tube

Robust brass trigger valve with a new locking and blocking function and 60 cm brass spray tube



Double nozzle holder
Art.No. 12006401



Fanjet nozzles TP 8002 Ms
Art.No. 11628101




Fanjet nozzles
Art.No. 11612801-SB – 11612808-SB



Waist and chest strap set
Art.No. 12052501



AS 1200 AC1 Battery spray blower
Art.No. 12129001



Telescopic extension 1 – 2 m aluminium
Art.No. 10985201

Telescopic extension 7 m
Art.No. 11935801



18 V Li-Power / 2.0 Ah
Art.No. 12070301



18 V Li-Power / 4.0 Ah
Art.No. 12071401



18 V Li-Power / 5.2 Ah
Art.No. 12072501



18 V LiHD / 8.0 Ah
Art.No. 12073601



18 V LiHD / 10.0 Ah
Art.No. 12100701



ASC 55
Art.No. 12070101




Further
information


Accessories

More accessories
www.birchmeier.com

Spray period* REC 15 PC1 (Fanjet nozzle)



Spray output* REC 15 PC1 (Fanjet nozzle)



* per battery pack charging

Technische Daten REC 15 PC1 / PC2

Tank volume	15 liters
Pressure range	0.5 – 6 bar
Recommended battery pack	18 V Li-Power / 4.0 Ah
Battery pack charging time (4.0 Ah)	< 80 min
Nozzle type	Fanjet nozzle
Nozzle material	Plastic, stainless steel
Flow rate (at 0.5 – 6 bar)	0.2 – 0.6 l/min
Gaskets	FPM (Viton)
Fitting assembly	Screw fitting
Pump	Piston pump 12 V / DC
Min./max. temperature	5° C / 30° C
Dimensions (L x W x H)	240 x 340 x 570 mm
Empty weight with battery pack (4.0 Ah)	5.2 kg
Sound pressure level	< 70 dB (A)

REC 15 PC1 (with battery pack / charger)	Art.No. 12072001
REC 15 PC2 (without battery pack / charger)	Art.No. 12101501


Battery pack 18 V Li-Power / 2.0 Ah	Art.No. 12070301
Battery pack 18 V Li-Power / 4.0 Ah	Art.No. 12071401
Battery pack 18 V Li-Power / 5.2 Ah	Art.No. 12072501
Battery pack 18 V LiHD / 8.0 Ah	Art.No. 12073601
Battery pack 18 V LiHD / 10.0 Ah	Art.No. 12100701
Quick-charger ASC 55 (230 V)	Art.No. 12070101

One battery, many solutions



www.cordless-alliance-system.com

Further Birchmeier products:



Your Birchmeier distributor

BIRCHMEIER®

Birchmeier Sprühtechnik AG
 Im Stetterfeld 1
 5608 Stetten
 Schweiz
 Telefon +41 56 485 81 81
 Fax +41 56 485 81 82
 www.birchmeier.com